

# Flexible nozzle L 600 mm with 45° terminal

📌 Sectors

📌 Applications: **Mobile**

📌 Issues **Medical**

COD: BOCCHETF6004500



The flexible nozzle is designed to provide maximum mobility without compromising the effectiveness of airflow.

## Detailed description

**Material:** aluminum + ESD

**Weight:** 315 gr

**Length:** 600 mm

**Working temperature:** -15°C / + 80°C

Compatible with:

IAB laboratory arms, the Airsafe line of medical aerosol purifiers.



## Technical Data

Code	Tube length meters	Arm diameter mm
BOCCHETF6004550	600	50
BOCCHETF6004575	600	75



## Related products



### VLAB400 mobile fume and microdust extractor

VLAB400M13501H0

Mobile **VLAB 400** fume and micro laboratory dust extractor, with high flow rate, complete with arm diam. 100mm length 1350mm and integrated HEPA H14 filtration.



### BLAB 50/75mm laboratory suction arm for bench mounting

BLAB5075000000

The **BLAB laboratory arm** is designed for localized suction in workstations where high mobility is required, such as in chemical laboratories, universities, schools, chemical, pharmaceutical and electronic industries.

NB: hood excluded, to be selected from accessories.



### HLAB 50/75/100mm laboratory suction arm for wall mounting

HLAB50751000000

The **HLAB laboratory arm** is designed for localized suction in workstations where high mobility is required, such as in chemical laboratories, universities, schools, chemical, pharmaceutical and electronic industries.

NB: hood excluded, to be selected from accessories.



### CLAB 50/75/100mm laboratory suction arm for ceiling mounting

CLAB50751000000

The **CLAB laboratory arm** is designed for localized suction in workstations where high mobility is required, such as in chemical laboratories, universities, schools, chemical, pharmaceutical and electronic industries.

NB: hood excluded, to be selected from accessories.

