

#### **EHRM 160mm extension**

☐ Sectors Welding, Grinding, Sanding, Plant Components,

□ Applications: Fix

☐ Issues Fumes

COD: EHRM16000000000



Welded steel**extension** with wall bracket for wall-mounted suction arms.



#### **Detailed description**

Length 2mt or 3mt.

Diameter 200mm

Sturdy welded and powder-coated steel construction.

Wall or column mounting plate.

Extension rotation 180° on hinge sized to support the weight of arms up to 4mt in length. (Arm rotation 360°)





Via Stroppiana, 15 - 10071 Borgaro torinese (Torino) Italy Tel. +39 011 4502031 – Fax +39 011 47 03 927 - info@secureair.it - www.secureair.it

### **Technical Data**

| Code            | Diameter<br>mm | Tube length meters |
|-----------------|----------------|--------------------|
| EHRM16020000000 | 200            | 2                  |
| EHRM16030000000 | 200            | 3                  |





## Photogallery














Via Stroppiana, 15 - 10071 Borgaro torinese (Torino) Italy
Tel. +39 011 4502031 – Fax +39 011 47 03 927 - info@secureair.it - www.secureair.it

#### **Related products**



## Self-supporting wall-mounted suction arm Superflex™ FRM

The FRM Superflex™ self-supporting suction arm is the ideal solution for suctioning smoke and fumes effectively and closely as required by regulations and is easy to use.



# Self-supporting wall-mounted suction arm HRM160

The **HRM suction arm** thanks to the double external pantographs can be moved in all directions smoothly and lightly and maintains the desired position for maximum working comfort. Stability and precision are ensured by the plastic spring and clutch system. The suction hood is equipped with and ergonomic comfortable handle is for easy positioning.

