

Rectangular hood 350×300 mm

≡ Sectors

≡ Applications: **Fix**

≡ Issues **Medical**

COD: CAPPARET3503000



Transparent rectangular extractor hood 350×300 mm for B/C/H LAB 50/75 mm arms.

Detailed description

The rectangular hood allows a very large surface area to be covered, making it suitable for the extraction of highly volatile gases. Suitable for top or side positioning.

Material: PMMA

Weight: 450 g

Length: 350×300 mm

Working temperature: -15°C / + 80°C

Supplied with aluminium tube for arm coupling.



Technical Data

Code	Arm diameter mm
CAPPARET3503005	50
CAPPARET3503007	75



Accessories



350VX circular transparent dome hood diam. 350mm

CAPPA350VX00000

The transparent dome hood is suitable for lighter gases with a wider dispersion of contaminants, without impeding visibility.



Circular transparent dome hood 500VX diam. 500 mm

CAPPA500VX00000

Transparent suction hood in oversized version.



Transparent flat hood 300x200mm

CAPPAPIA3002000

Transparent rectangular suction hood 300x200mm for H/B/C LAB arms diam. 50 and 75mm.



Rectangular hood 570x470 mm

CAPPARET5704700

Transparent rectangular suction hood 570x470 mm for H/B/C arms LAB100 mm



Circular lacquered aluminium hood diam 250 mm

CAPCIRC250ALL00

Circular extractor hood diam 250 mm in lacquered aluminium for C/H/B LAB arms.



Related products



VLAB400 mobile fume and microdust extractor

VLAB400M13501H0

Mobile **VLAB 400** fume and micro laboratory dust extractor, with high flow rate, complete with arm diam. 100mm lenght 1350mm and integrated HEPA H14 filtration.



BLAB 50/75mm laboratory suction arm for bench mounting

BLAB50750000000

The **BLAB laboratory arm** is designed for localized suction in workstations where high mobility is required, such as in chemical laboratories, universities, schools, chemical, pharmaceutical and electronic industries.

NB: hood excluded, to be selected from accessories.



HLAB 50/75/100mm laboratory suction arm for wall mounting

HLAB50751000000

The **HLAB laboratory arm** is designed for localized suction in workstations where high mobility is required, such as in chemical laboratories, universities, schools, chemical, pharmaceutical and electronic industries.

NB: hood excluded, to be selected from accessories.



CLAB 50/75/100mm laboratory suction arm for ceiling mounting

CLAB50751000000

The **CLAB laboratory arm** is designed for localized suction in workstations where high mobility is required, such as in chemical laboratories, universities, schools, chemical, pharmaceutical and electronic industries.

NB: hood excluded, to be selected from accessories.

